

NOTE: When reproducing, print quality affects the integrity of the 2D GS1 DataMatrix. Print at highest resolution possible						
PATIENT NAME				DATE		
IMAGE	PART NUMBER	DESCRIPTION	GTIN (HRI)	GTIN (AIDC)	QTY	LOT NUMBER
		IMPLANTS	_			
	OS922035-NS	8.0MM X 35MM HEADLESS CANNULATED SCREW 19MM THREAD	(01)05055662960617			
	OS922040-NS	8.0MM X 40MM HEADLESS CANNULATED SCREW 19MM THREAD	(01)05055662960624			
	OS922045-NS	8.0MM X 45MM HEADLESS CANNULATED SCREW 19MM THREAD	(01)05055662960631			
	OS922050-NS	8.0MM X 50MM HEADLESS CANNULATED SCREW 19MM THREAD	(01)05055662960648			
	OS922055-NS	8.0MM X 55MM HEADLESS CANNULATED SCREW 19MM THREAD	(01)05055662960655			
	OS922060-NS	8.0MM X 60MM HEADLESS CANNULATED SCREW 19MM THREAD	(01)05055662960662	20010 20010 20000		
	OS922065-NS	8.0MM X 65MM HEADLESS CANNULATED SCREW 19MM THREAD	(01)05055662960679			
	OS922070-NS	8.0MM X 70MM HEADLESS CANNULATED SCREW 19MM THREAD	(01)05055662960686			
	OS922075-NS	8.0MM X 75MM HEADLESS CANNULATED SCREW 19MM THREAD	(01)05055662960693			
	OS922080-NS	8.0MM X 80MM HEADLESS CANNULATED SCREW 19MM THREAD	(01)05055662960709			
	OS922085-NS	8.0MM X 85MM HEADLESS CANNULATED SCREW 19MM THREAD	(01)05055662960716			
函	OS922090-NS	8.0MM X 90MM HEADLESS CANNULATED SCREW 19MM THREAD	(01)05055662960723			
	OS922095-NS	8.0MM X 95MM HEADLESS CANNULATED SCREW 19MM THREAD	(01)05055662960730			
	OS922100-NS	8.0MM X 100MM HEADLESS CANNULATED SCREW 19MM THREAD	(01)05055662960747			
	OS922105-NS	8.0MM X 105MM HEADLESS CANNULATED SCREW 19MM THREAD	(01)05055662960754			
	OS922110-NS	8.0MM X 110MM HEADLESS CANNULATED SCREW 19MM THREAD	(01)05055662960761			
	OS922115-NS	8.0MM X 115MM HEADLESS CANNULATED SCREW 19MM THREAD	(01)05055662960778			
	OS922120-NS	8.0MM X 120MM HEADLESS CANNULATED SCREW 19MM THREAD	(01)05055662960785			
	OS923050-NS	8.0MM X 50MM HEADLESS CANNULATED SCREW 33MM THREAD	(01)05055662960808			
	OS923055-NS	8.0MM X 55MM HEADLESS CANNULATED SCREW 33MM THREAD	(01)05055662960815			
	OS923060-NS	8.0MM X 60MM HEADLESS CANNULATED SCREW 33MM THREAD	(01)05055662960822			
<b>A</b>	OS923065-NS	8.0MM X 65MM HEADLESS CANNULATED SCREW 33MM THREAD	(01)05055662960839			
	OS923070-NS	8.0MM X 70MM HEADLESS CANNULATED SCREW 33MM THREAD	(01)05055662960846			
	OS923075-NS	8.0MM X 75MM HEADLESS CANNULATED SCREW 33MM THREAD	(01)05055662960853			
	OS923080-NS	8.0MM X 80MM HEADLESS CANNULATED SCREW 33MM THREAD	(01)05055662960860			
	OS923085-NS	8.0MM X 85MM HEADLESS CANNULATED SCREW 33MM THREAD	(01)05055662960877			
	OS923090-NS	8.0MM X 90MM HEADLESS CANNULATED SCREW 33MM THREAD	(01)05055662960884			
	OS923095-NS	8.0MM X 95MM HEADLESS CANNULATED SCREW 33MM THREAD	(01)05055662960891	200		
芸	OS923100-NS	8.0MM X 100MM HEADLESS CANNULATED SCREW 33MM THREAD	(01)05055662960907			



		Group		
	OS923105-NS	8.0MM X 105MM HEADLESS CANNULATED SCREW 33MM THREAD	(01)05055662960914	200
	OS923110-NS	8.0MM X 110MM HEADLESS CANNULATED SCREW 33MM THREAD	(01)05055662960921	
	OS923115-NS	8.0MM X 115MM HEADLESS CANNULATED SCREW 33MM THREAD	(01)05055662960938	
	OS923120-NS	8.0MM X 120MM HEADLESS CANNULATED SCREW 33MM THREAD	(01)05055662960945	
	OS924045-NS	8.0MM X 45MM HEADLESS CANNULATED SCREW FULLY THREADED	(01)05055662952117	
	OS924050-NS	8.0MM X 50MM HEADLESS CANNULATED SCREW FULLY THREADED	(01)05055662952124	
	OS924055-NS	8.0MM X 55MM HEADLESS CANNULATED SCREW FULLY THREADED	(01)05055662952131	
$\Longrightarrow$	OS924060-NS	8.0MM X 60MM HEADLESS CANNULATED SCREW FULLY THREADED	(01)05055662952148	
	OS924065-NS	8.0MM X 65MM HEADLESS CANNULATED SCREW FULLY THREADED	(01)05055662952155	
	OS924070-NS	8.0MM X 70MM HEADLESS CANNULATED SCREW FULLY THREADED	(01)05055662952162	
	OS924075-NS	8.0MM X 75MM HEADLESS CANNULATED SCREW FULLY THREADED	(01)05055662952179	
	OS924080-NS	8.0MM X 80MM HEADLESS CANNULATED SCREW FULLY THREADED	(01)05055662952186	
	OS924085-NS	8.0MM X 85MM HEADLESS CANNULATED SCREW FULLY THREADED	(01)05055662952193	2000年 金融
	OS924090-NS	8.0MM X 90MM HEADLESS CANNULATED SCREW FULLY THREADED	(01)05055662952209	
	OS924095-NS	8.0MM X 95MM HEADLESS CANNULATED SCREW FULLY THREADED	(01)05055662952216	2000 2000
	OS924100-NS	8.0MM X 100MM HEADLESS CANNULATED SCREW FULLY THREADED	(01)05055662952223	2000 2000 2000
	OS924105-NS	8.0MM X 105MM HEADLESS CANNULATED SCREW FULLY THREADED	(01)05055662952230	
=======================================	OS924110-NS	8.0MM X 110MM HEADLESS CANNULATED SCREW FULLY THREADED	(01)05055662952247	2000 2000 2000
W Commonweal	OS924115-NS	8.0MM X 115MM HEADLESS CANNULATED SCREW FULLY THREADED	(01)05055662952254	
	OS924120-NS	8.0MM X 120MM HEADLESS CANNULATED SCREW FULLY THREADED	(01)05055662952261	
	OS919035-NS	8.0MM X 35MM HEADED CANNULATED SCREW 19MM THREAD	(01)05055662960273	
	OS919040-NS	8.0MM X 40MM HEADED CANNULATED SCREW 19MM THREAD	(01)05055662960280	
	OS919045-NS	8.0MM X 45MM HEADED CANNULATED SCREW 19MM THREAD	(01)05055662960297	
	OS919050-NS	8.0MM X 50MM HEADED CANNULATED SCREW 19MM THREAD	(01)05055662960303	
	OS919055-NS	8.0MM X 55MM HEADED CANNULATED SCREW 19MM THREAD	(01)05055662960310	
	OS919060-NS	8.0MM X 60MM HEADED CANNULATED SCREW 19MM THREAD	(01)05055662960327	
	OS919065-NS	8.0MM X 65MM HEADED CANNULATED SCREW 19MM THREAD	(01)05055662960334	1660 1660
	OS919070-NS	8.0MM X 70MM HEADED CANNULATED SCREW 19MM THREAD	(01)05055662960341	
	OS919075-NS	8.0MM X 75MM HEADED CANNULATED SCREW 19MM THREAD	(01)05055662960358	
	OS919080-NS	8.0MM X 80MM HEADED CANNULATED SCREW 19MM THREAD	(01)05055662960365	
	OS919085-NS	8.0MM X 85MM HEADED CANNULATED SCREW 19MM THREAD	(01)05055662960372	
	OS919090-NS	8.0MM X 90MM HEADED CANNULATED SCREW 19MM THREAD	(01)05055662960389	

 Doc. Ref.: F32.2.7
 Issue No.: 1
 Date Effective: 29 Aug 2023
 Proj. Ref.: DCR 952
 Page 2 of 4



		Group		
	OS919095-NS	8.0MM X 95MM HEADED CANNULATED SCREW 19MM THREAD	(01)05055662960396	
	OS919100-NS	8.0MM X 100MM HEADED CANNULATED SCREW 19MM THREAD	(01)05055662960402	2000 2000
	OS919105-NS	8.0MM X 105MM HEADED CANNULATED SCREW 19MM THREAD	(01)05055662960419	
	OS919110-NS	8.0MM X 110MM HEADED CANNULATED SCREW 19MM THREAD	(01)05055662960426	
	OS919115-NS	8.0MM X 115MM HEADED CANNULATED SCREW 19MM THREAD	(01)05055662960433	
	OS919120-NS	8.0MM X 120MM HEADED CANNULATED SCREW 19MM THREAD	(01)05055662960440	
	OS920045-NS	8.0MM X 45MM HEADED CANNULATED SCREW 33MM THREAD	(01)05055662960457	22
	OS920050-NS	8.0MM X 50MM HEADED CANNULATED SCREW 33MM THREAD	(01)05055662960464	
	OS920055-NS	8.0MM X 55MM HEADED CANNULATED SCREW 33MM THREAD	(01)05055662960471	
	OS920060-NS	8.0MM X 60MM HEADED CANNULATED SCREW 33MM THREAD	(01)05055662960488	
	OS920065-NS	8.0MM X 65MM HEADED CANNULATED SCREW 33MM THREAD	(01)05055662960495	
	OS920070-NS	8.0MM X 70MM HEADED CANNULATED SCREW 33MM THREAD	(01)05055662960501	
	OS920075-NS	8.0MM X 75MM HEADED CANNULATED SCREW 33MM THREAD	(01)05055662960518	
	OS920080-NS	8.0MM X 80MM HEADED CANNULATED SCREW 33MM THREAD	(01)05055662960525	
	OS920085-NS	8.0MM X 85MM HEADED CANNULATED SCREW 33MM THREAD	(01)05055662960532	
	OS920090-NS	8.0MM X 90MM HEADED CANNULATED SCREW 33MM THREAD	(01)05055662960549	
	OS920095-NS	8.0MM X 95MM HEADED CANNULATED SCREW 33MM THREAD	(01)05055662960556	
	OS920100-NS	8.0MM X 100MM HEADED CANNULATED SCREW 33MM THREAD	(01)05055662960563	
	OS920105-NS	8.0MM X 105MM HEADED CANNULATED SCREW 33MM THREAD	(01)05055662960570	
团	OS920110-NS	8.0MM X 110MM HEADED CANNULATED SCREW 33MM THREAD	(01)05055662960587	
	OS920115-NS	8.0MM X 115MM HEADED CANNULATED SCREW 33MM THREAD	(01)05055662960594	
	OS920120-NS	8.0MM X 120MM HEADED CANNULATED SCREW 33MM THREAD	(01)05055662960600	
	OS921045-NS	8.0MM X 45MM HEADED CANNULATED SCREW FULLY THREADED	(01)05055662951615	
	OS921050-NS	8.0MM X 50MM HEADED CANNULATED SCREW FULLY THREADED	(01)05055662951622	
	OS921055-NS	8.0MM X 55MM HEADED CANNULATED SCREW FULLY THREADED	(01)05055662951639	
	OS921060-NS	8.0MM X 60MM HEADED CANNULATED SCREW FULLY THREADED	(01)05055662951646	
	OS921065-NS	8.0MM X 65MM HEADED CANNULATED SCREW FULLY THREADED	(01)05055662951653	
	OS921070-NS	8.0MM X 70MM HEADED CANNULATED SCREW FULLY THREADED	(01)05055662951660	
$\exists$	OS921075-NS	8.0MM X 75MM HEADED CANNULATED SCREW FULLY THREADED	(01)05055662951677	

 Doc. Ref.: F32.2.7
 Issue No.: 1
 Date Effective: 29 Aug 2023
 Proj. Ref.: DCR 952
 Page 3 of 4



		Group		
===	OS921080-NS	8.0MM X 80MM HEADED CANNULATED SCREW FULLY THREADED	(01)05055662951684	
MMM	OS921085-NS	8.0MM X 85MM HEADED CANNULATED SCREW FULLY THREADED	(01)05055662951691	
	OS921090-NS	8.0MM X 90MM HEADED CANNULATED SCREW FULLY THREADED	(01)05055662951707	200
	OS921095-NS	8.0MM X 95MM HEADED CANNULATED SCREW FULLY THREADED	(01)05055662951714	
=======================================	OS921100-NS	8.0MM X 100MM HEADED CANNULATED SCREW FULLY THREADED	(01)05055662951721	
===	OS921105-NS	8.0MM X 105MM HEADED CANNULATED SCREW FULLY THREADED	(01)05055662951738	
=======================================	OS921110-NS	8.0MM X 110MM HEADED CANNULATED SCREW FULLY THREADED	(01)05055662951745	
	OS921115-NS	8.0MM X 115MM HEADED CANNULATED SCREW FULLY THREADED	(01)05055662951752	
	OS921120-NS	8.0MM X 120MM HEADED CANNULATED SCREW FULLY THREADED	(01)05055662951769	
	OS919000-NS	8.0MM HEADED FLAT WASHER	(01)05055662918359	
		CONSUMABLES		
Λ	OS900029-NS	K-WIRE FOR 8.0MM SCREW DRILL TIP 3.2 X 300MM	(01)05055662956023	
	OS900033-NS	K-WIRE FOR 8.0MM SCREW DRILL TIP THREADED TIP 3.2 X 300MM	(01)05055662956061	
	OS9000102-NS	K-WIRE FOR 8.0MM SCREW SINGLE TROCAR 3.2 X 300MM	(01)05055662962321	
	OS900041-NS	DRILL FOR 8.0MM SCREW CALIBRATED CANNULATED JACOBS QC	(01)05055662956146	
	OS900046-NS	COUNTERSINK FOR 8.0MM HEADED SCREW CANNULATED JACOBS QC	(01)05055662956191	
	OS900051-NS	COUNTERSINK FOR 8.0MM HEADLESS SCREW CANNULATED JACOBS QC	(01)05055662956245	
	OS900076-NS	EASY OUT FOR 5.0-8.0MM SCREWS	(01)05055662956665	

 Doc. Ref.: F32.2.7
 Issue No.: 1
 Date Effective: 29 Aug 2023
 Proj. Ref.: DCR 952
 Page 4 of 4